

Australian Alpine Research Bibliography

Compiled by Ken Green for the Australian Institute of Alpine Studies
(www.aias.org.au) for additions to this list please email
alpine.Australia@gmail.com

Talent, J.A. (1965) Geomorphic forms and processes in the highlands of eastern Victoria. *Proceedings of the Royal Society of Victoria* 78, 119-134.

Thomas, A. (1991) Giandarra Bog, NSW – a natural record of environmental change.. BSc(Hons) thesis, ADFA, UNSW, Canberra.

Thomas, D.G. (1987) The effect of hard weather on bird abundance. *Tasmanian Bird Report* 16, 17-20.

Thomas, I. and Hope, G. S. (1994) An example of Holocene vegetation stability from Camerons Lagoon, a near treeline site on the Central Plateau, Tasmania. *Australian Journal of Ecology* 19, 150-158.

Thompson, J. (1981) A key to the plants of the subalpine and alpine zones of the Kosciusko region. *Telopea* 2, 219-297.

Tilzey, R.D.J. (1976) Observations on interactions between indigenous Galaxiidae and introduced Salmonidae in the Lake Eucumbene catchment, New South Wales. *Australian Journal of Marine and Freshwater Research* 27, 551-564.

Timms, B.V. (1980) The benthos of Kosciusko glacial lakes. *Proceedings of the Linnean Society of New South Wales* 104, 119-125.

Tolsma, A.D., Read, S.M. and Tolhurst, K.G. (2007) Roots of Australian alpine plant species contain high levels of stored carbohydrates independent of post-fire regeneration strategy. *Australian Journal of Botany* 55, 771-779.

Tolsma, A.D., Tolhurst, K.G. and Read, S.M. (2010) Effects of fire, post-fire defoliation, drought and season on regrowth and carbohydrate reserves of alpine snowgrass *Poa fawcettiae* (Poaceae). *Australian Journal of Botany* 58, 157-168.

Tolsma, A.D. (2002) The effects of fire and grazing on the energy reserves of resprouting plants in Victoria's alpine grasslands. PhD Thesis, The University of Melbourne.

Troughton, E. (1946) Report on the mammals. In: Report to the trustees of Kosciusko State Park by the Joint scientific committee of the Linnean Society of N.S.W. and the Royal Zoological Society of N.S.W.

Turner A. (1980) The Conservation Status of Kosciusko National Park
Government Printer Sydney.

Turner, J.S., Crocker, R.L., Evans, J.W., and Costin, A.B. (1957) A Report on the Condition of the High Mountain Catchment of New South Wales and Victoria. Australian Academy of Science, Canberra.

Van de Geer, G., Fitzsimons, S.J. and Colhoun, E.A. (1989) Holocene to middle last glaciation vegetation history at Newall Creek, western Tasmania, New Phytologist 111, 549-558.

van Rees, H., Papst, W.A., McDougall, K.L. and Boston, R.C. (1985) Trends in vegetation cover in the grassland community on the Bogong High Plains, Victoria. Australian Rangeland Journal 7, 93-98.

Venn, S.E. (2001) Environmental determinants of vegetation patterns in snowpatch communities on the Bogong High Plains, Victoria. Honours thesis. Department of Botany, La Trobe University, Bundoora, Victoria.

Venn, S.E. (2007) Plant recruitment across alpine summits in south-eastern Australia. PhD thesis. Department of Botany, La Trobe University, Bundoora, Victoria.

Venn, S.E., Green, K., Pickering, C.M. and Morgan, J.W. (2011) Using plant functional traits to explain community composition across a strong environmental filter in Australian alpine snowpatches. Plant Ecology 212, 1491-1499.

Venn, S.E. and Morgan, J.W. (2007) Phytomass and phenology of three alpine snowpatch species across a natural snowmelt gradient Australian Journal of Botany 55, 450-456

Venn, S.E. and Morgan, J.W. (2009) Germination characteristics of Mountain Celery *Aciphylla glacialis* (F. Muell.) Benth. (Apiaceae). Victorian Naturalist 126. 4-12

Venn, S.E. and Morgan, J.W. (2009) Patterns in alpine seedling emergence and establishment across a stress gradient of mountain summits in south-eastern Australia. *Plant Ecology and Diversity* 2, 5–16

Venn, S.E. and Morgan, J.W. (2010) Soil seedbank composition and dynamics across alpine summits in south-eastern Australia. *Australian Journal of Botany* 58, 349-362.

Venn, S.E. and Morgan, J.W. (2005) Patterns in alpine vegetation across an altitudinal gradient in Victoria, Australia: an example of 'space for time substitution' in order to assess the potential effects of climate change. pp 165-166 In MF Price (ed.). *Global Change in Mountain Regions*. Sapiens Publishing, Duncow,

Venn, S.E., Morgan, J.W. and Green, P.T. (2009) Do facilitative interactions with neighboring plants assist the growth of seedlings at high altitudes in alpine Australia? *Arctic, Antarctic and Alpine Research* 41, 381-387.

Wahren, C.-H., Williams, R.J. and Papst, W.A. (2001) Alpine and subalpine snow patch vegetation on the Bogong High Plains, SE Australia. *Journal of Vegetation Science* 12, 779-790

Wahren, C.-H., Williams, R.J. and Papst, W.A. (2001). Vegetation change and ecological processes in alpine and subalpine Sphagnum bogs of the Bogong High Plains, Victoria, Australia. *Arctic, Antarctic and Alpine Research* 33, 357-368.

Wahren, C.-H., Papst, W.A. and Williams, R.J. (2001) Early post-fire regeneration in sub-alpine heathland and grassland in the Victorian Alpine National Park, south-eastern Australia. *Austral Ecology* 26, 670-679.

Wahren, C.-H., Williams, R.J. and Papst, W.A. (1999) Alpine and subalpine wetland vegetation on the Bogong High Plains, south-eastern Australia. *Australian Journal of Botany* 47, 165-188.

Wahren, C.-H., Williams, R.J. and Papst, W.A. (2000) Alpine and subalpine snow patch vegetation on the Bogong High Plains, SE Australia. *Journal of Vegetation Science* 12, 779-790.

Wahren, C.-H., Papst W.A. and Williams, R.J. (1994) Long-term vegetation change in relation to cattle grazing in subalpine grassland and heathland on the Bogong High Plains: an analysis of vegetation records from 1945 to 1994. *Australian Journal of Botany* 42, 607- 639.

Wahren, C-H., Walker, M.D., and Bret-Harte, M.S. (2005) Vegetation responses in Alaskan arctic tundra after 8 years of a summer warming and winter snow manipulation experiment. *Global Change Biology* 11, 537-552.

Wahren, C-H.A., Papst, W.A. and Williams, R.J. 2001. Early post-fire regeneration in subalpine heathland and grassland in the Victorian Alpine National Park, south-eastern Australia. *Austral Ecology* 26, 670-679.

Walford, F. (1928) The mountain minnow. *Australian Museum Magazine* 3, 274-277.

Walford, F. (1940) The mountain minnow. Some additional notes. *Australian Museum Magazine* 7, 234-237.

Walsh, N.G., Barley, R.H. and Gullan, P.K. (1984) The alpine vegetation of Victoria (excluding the Bogong High Plains region). Environmental Studies Publication Number 376. Department of Conservation Forests and Lands Victoria.

Walsh, N.G., Barley, R.H., Gullan, P.K. (1986) The alpine vegetation of Victoria, excluding the Bogong High Plains region. *Muelleria* 6, 265-292.

Walsh, N.G. and McDougall, K. (2002) *Calotis pubescens* (Asteraceae), change in rank and notes on its distribution and ecology. *Muelleria* 16, 43-45.

Walsh, N.G., and McDougall K.L. (2004) Progress in the recovery of treeless subalpine vegetation in Kosciuszko National Park after the 2003 fires. *Cunninghamia* 8, 439-452.

Walter M. and Broome L. (1998) Snow as a factor in animal hibernation and dormancy. pp. 165-191 In: K. Green. (ed.) *Snow: a natural history; an uncertain future*, Australian Alps Liaison Committee, Canberra.

Walter, M.J. and Hone, J. (2003) The comparison of three aerial survey techniques to estimate the abundance of wild horses in the Australian Alps. *Wildlife Society Bulletin* 31, 1138-1149.

Wapstra, E., Swain, R., Jones, S.M. and O'Reilly, J. (1999) Geographic and annual variation in reproductive cycles in the Tasmanian spotted snow skink, *Niveoscincus ocellatus* (Squamata : Scincidae). *Australian Journal of Zoology* 47, 539-550.

- Wardlaw I. F. (1998) Plant activity beneath the snow. pp 113-124 In: K. Green (ed) *Snow: A natural history; an uncertain future*, Australian Alps Liaison Committee, Canberra.
- Wardlaw, I. F., Moncur, M. W. and Totterdell, C. J. (1989) The growth and development of *Caltha introloba* F. Muell. I. The pattern and control of flowering. *Australian Journal of Botany* 37, 275-289.
- Wardlaw, I. F., Moncur, M. W. and Totterdell, C. J. (1989) The growth and development of *Caltha introloba* F. Muell. II. The regulation of germination, growth and photosynthesis by temperature. *Australian Journal of Botany* 37, 291-303.
- Wearne, L.J. and Morgan J.W. (2004) Community-level changes in Australian subalpine vegetation following invasion by the non-native shrub *Cytisus scoparius*. *Journal of Vegetation Science* 15, 595-604.
- Wearne, L.J. and Morgan, J.W. (2001) Floristic composition and variability of subalpine grasslands in the Mt Hotham region, north-eastern Victoria. *Australian Journal of Botany* 49, 721-734.
- Wearne, L.J. and Morgan, J.W. (2001) Recent forest encroachment into subalpine grasslands near Mount Hotham, Victoria, Australia. *Arctic, Antarctic And Alpine Research* 33, 369-377.
- Wearne, L.J. and Morgan, J.W. (2006) Shrub invasion into subalpine vegetation: implications for the restoration of the native ecosystem. *Plant Ecology* 183, 361-376.
- Welch, H.E. (1963) *Aphimermis bogongae* sp. nov. and *Hexameris cavicola* sp. nov. from Australian bogong moth *Agrotis infusa* (Boisd.) with a review of the genus *Amphimermis* Kaburaki and Immura, 1932 (Nematoda: Mermithidae). *Parasitology* 53, 55-62.
- Wellman P. (1982) The southeastern highlands: a geological and environmental history from 100 million years ago to the present. *Victorian Naturalist* 99, 110-120.
- Wellman, P. (1987) Eastern Highlands of Australia; their uplift and erosion, Bureau of Mineral Resources *Journal of Australian Geology and Geophysics* 10, 277-286.
- Western, A., Rutherford, I., Sirawardena, L, Lawrence, R.E., Ghadirian, P., Coates, F. and White, M. (2009) The geography and hydrology of high country peatlands in Victoria Part 2. The influence of peatlands on catchment hydrology.

Technical Report 174, Arthur Rylah Institute for Environmental Research, Melbourne

Whetton P.H., Haylock M.R. and Galloway R.W. (1996) Climate change and snow-cover duration in the Australian Alps. *Climatic Change* 32, 447-479.

Whetton P.H. (1998) Climate change impacts on the spatial extent of snow-cover in the Australian Alps. pp. 195-206 In: K. Green. (ed.) *Snow: a natural history; an uncertain future*, Australian Alps Liaison Committee, Canberra.

Whinam, J., Barmuta, L.A. and Chilcott, N. (2001) Floristic description and environmental relationships of Tasmanian Sphagnum communities and their conservation management. *Australian Journal of Botany* 49, 673-685.

Whinam, J., Cannell, E.J., Kirkpatrick, J.B. and Comfort, M. (1994) Studies on the potential impact of recreational horseriding on some alpine environments of the Central Plateau, *Tasmania Journal of Environmental Management*.40, 103-117.

Whinam, J. and Chilcott, N. (2002) Floristic description and environmental relationships of Sphagnum communities in NSW and the ACT and their conservation management. *Cunninghamia* 7, 463-500.

Whinam J., Chilcott N. and Morgan J.W. (2003) Floristic composition and environmental relationships of Sphagnum-dominated communities in Victoria. *Cunninghamia* 8, 162-174.

Whinam, J., Eberhard, S. Kirkpatrick, J. and Moscal, T. (1989) *Ecology and Conservation of Tasmanian Sphagnum peatlands*. Tasmanian Conservation Trust, Hobart. pp107.

Whinam, J. and Hope, G.S. (eds.). (2005) The peatlands of the Australasian region. pp. 397-434 in G.M. Steiner, (ed.), *Moore - von Sibirien bis Feuerland - Mires - from Siberia to Tierra del Fuego*. Biologiezentrum der Oberoesterreichischen Landesmuseen Neue Serie 35, Linz.

Whinam, J., Hope, G.S., Adam, P., Clarkson B., Alspach, P., and Buxton, R. (2003) Sphagnum peatlands of Australasia: the resource, its utilisation and management. *Wetlands Ecology and Management* 11, 37-49

Whinam, J., Hope, G.S., Good, R. and Wright, G. (2010) Five years of post-fire monitoring of the recovery of Sphagnum shrub bogs in the ACT and NSW, Australia. *Terra Australis*. 32, 363-379

Whinam, J. and Kirkpatrick, J. B. (1994) The Mount Wellington string bog, Tasmania. *Papers and Proceedings of the Royal Society of Tasmania*, 128, 63-68.

Whinam, J. and Kirkpatrick, J.B. (1995) Successional sequences in two Tasmanian valley Sphagnum peatlands. *Journal of Vegetation Science* 6, 675-682.

Williams, J.M. (1980) *Crystal Bog, Mount Buffalo: a palaeoecological study of a subalpine peat deposit*, Monash Publications in Geography No. 8. Melbourne, Monash University.

Williams, N.S.G., Hahs, A.K. and Morgan, J.W. (2008) A dispersal-constrained habitat suitability model for predicting invasion of alpine vegetation. *Ecological Applications* 18, 347-359.

Williams, R.J. (1987) Patterns of air temperature and accumulation of snow in subalpine heathlands and grasslands on the Bogong High Plains, Victoria. *Australian Journal of Ecology* 12, 153-163.

Williams, R.J. (1990) Cattle grazing within subalpine heathland and grassland communities on the Bogong High Plains: disturbance, regeneration and the shrub-grass balance. *Proceedings of the Ecological Society of Australia* 16, 255-265.

Williams, R.J. (1990) Growth of subalpine shrubs and snowgrass following a rare occurrence of frost and drought in south-eastern Australia. *Arctic and Alpine Research* 22, 412-422.

Williams, R.J. (1992). Gap dynamics in subalpine heathland and grassland vegetation in south-eastern Australia. *Journal of Ecology* 80, 343-352.

Williams, R.J. (2003) Does alpine grazing reduce blazing? *Victorian Naturalist* 120, 197-200.

Williams, R.J., and Ashton, D.H. (1987) Effects of disturbance and grazing by cattle on the dynamics of heathland and grassland communities on the Bogong High Plains, Victoria. *Australian Journal of Botany* 35, 413-431.

Williams, R.J., and Ashton, D.H. (1987) The composition, structure and distribution of heathland and grassland communities in the subalpine tract of the Bogong High Plains, Victoria. *Australian Journal of Ecology* 12, 57-71.

Williams, R.J., and Ashton, D.H. (1988) Cyclical patterns of regeneration in subalpine heathland communities on the Bogong High Plains, Victoria. *Australian Journal of Botany* 36, 605-619.

Williams R.J. and Bradstock R.A. (2008) Large fires and biodiversity in landscapes: diversity or disaster? *International Journal of Wildland Fire* 17 (Issue 6; Special Issue), 688-822.

Williams, R.J. and Costin, A.B. (1994). Alpine and subalpine vegetation. pp. 467-500. In: R.H. Groves (ed.) *Australian Vegetation* 2nd Edn. Cambridge University Press, Melbourne.

Williams, R.J., McDougall, K.L., Wahren, C-H, Mansergh, I.M., Rosengren, N.J. and Papst W.A. (2006) Alpine Landscapes. pp 557 – 572 In: P. Attiwill and B. Wilson (eds.) *Ecology: An Australian Perspective*. Oxford University Press.

Williams, R.J., and Wahren, C-H. (2005) Potential impacts of global climate change on vegetation in Australian alpine landscapes: Climate change, landuse, vegetation dynamics and biodiversity conservation. pp 401-408 In: H.M. Reasoner, H. Bugmann and U. Huber (eds.) *Global Change and Mountain Regions: State of Knowledge Overview*. Kluwer; Dordrecht, The Netherlands.

Williams, R.J., Wahren, C-H., Bradstock, R.A. and Muller, W.J. (2006) Does alpine grazing reduce blazing? A landscape test of a widely-held hypothesis. *Austral Ecology* 31, 925-936.

Williams, R.J., Wahren, C-H, Tolsma, A.D., Sanecki, G.M., Papst, W.A., Myers, B.A., McDougall, K.L., Heinze, D.A., Green, K. (2008) Large fires in Australian alpine landscapes: their part in the historical fire regime and their impacts on alpine biodiversity. *International Journal of Wildland Fire* 17, 793–808.

Williams, W.D., Walker, K.F. and Brand, G.W. (1970) Chemical composition of some inland surface waters and lake deposits of New South Wales. *Australian Journal of Marine and Freshwater Research* 21, 103-116.

Wilson, S.D. (1993) Competition and resource availability in heath and grassland in the Snowy Mountains of Australia. *Journal of Ecology* 81, 445-451.

Wilson, S.D. (1994) The contribution of grazing to plant diversity in alpine grassland and heath. *Australian Journal of Ecology* 19, 137-140.

Wimbush, D.J. (1969) Studies of the pied currawong, *Strepera graculina*, in the Snowy Mountains. *Emu* 69, 72-80.

Wimbush, D.J. (1980) Vegetation. In: A. Turner (ed.) *The Conservation Status of Kosciusko National Park*. NPWS New South Wales, Sydney.

Wimbush, D.J. and Costin, A.B. (1979) Trends in vegetation at Kosciusko. *Australian Journal of Botany* 27, 741-871.

Wimbush, D.J., and Costin, A.B. (1979) Trends in vegetation at Kosciusko. II. Subalpine range transects, 1959-1978. *Australian Journal of Botany* 27, 789-831.

Wimbush, D.J., and Costin, A.B. (1979) Trends in vegetation at Kosciusko. III. Alpine range transects, 1959-1978. *Australian Journal of Botany* 27, 833-871.

Wimbush, D.J. and Costin, A.B. (1983) Trends in drainage characteristics in the subalpine zone at Kosciusko. *Proceedings of the Ecological Society of Australia* 12, 143-154.

Wimbush, D.J. and Forrester, R.I. (1988) Effects of rabbit grazing and fire on a subalpine environment. II Tree vegetation *Australian Journal of Botany* 36, 287-298.

Wood, T.G. (1971) The effects of soil fauna on the decomposition of *Eucalyptus* litter in the Snowy Mountains, Australia. IV Colloquium *Pedobiologiae*. C.R. 4eme Coll. Int. Zool. Sol. 1970, I.N.R.A., Paris, pp 349-360.

Wood, T.G. (1974) The distribution of earthworms (*Megascolecidae*) in relation to soils, vegetation and altitude on the slopes of Mt. Kosciusko, Australia. *Journal of Animal Ecology* 43, 87-105.

Woodruff, D.S. (1975) Morphological and geographic variation of *Pseudophryne corroboree* (Anura : *Leptodactylidae*). *Records of the Australian Museum* 30, 99-130.

Worboys, G.L. (1996) *The Australian Alps National Parks and protected area management*, Parks, Vol 6 No 1, IUCN, Gland pp 33-40

Worboys, G.L. (2003) A Brief Report on the 2003 Australian Alps Bushfires, *Mountain Research and Development* 23, 294-295

Worboys, G.L. and Good, R.B. (2011) Caring for Our Australian Alps Catchments: Summary Report for Policy Makers, Department of Climate Change and Energy Efficiency, Canberra

Worboys, G.L., Good, R.B. and Spate, A.P, (2011) Caring for Our Australian Alps Catchments: A Climate Change Action Strategy for the Australian Alps to Conserve the Natural Condition of the Catchments and to Help Minimize Threats to High Quality Water Yields, Australian Alps Liaison Committee, Department of Climate Change and Energy Efficiency, Canberra

Worboys, G.L., Mackay, J., Spate, A.P. and Good, R.B. (1993) Protected Area Management in the Australian Alps, A Case Study: Kosciusko National Park. pp. 50-67 In: Hamilton, L.S., Bauer, D.P. and Takeuchi, H.F. (eds.) Parks, Peaks and People, East-West Center, Hawaii,

Worboys, G and Pickering, C.M. (2002) Managing mountain ecotourism at Kosciuszko. Proceedings of the Fourth Conference on the Protected Areas of East Asia. IUCN World Commission on Protected Areas in East Asia Conference 'Benefits Beyond Boundaries in East Asia' in Taipei, Taiwan, March 18-23 2002 pp. 145-178. E2.

Worboys, G and Pickering, C.M. (2002) Managing the Kosciuszko Alpine Area: Conservation Milestones and Future Challenges. Cooperative Research Centre for Sustainable Tourism, Griffith University, Gold Coast. 70 pp. ISBN 1 920704 03 5.

Worboys, G.L. and Pickering, C.M. (2003) Management of tourism in the Kosciusko alpine area. pp. 123-136 In: Celebrating Mountains: Proceeding of an International Year of the Mountains Conference. Australian Alps Liaison Committee, Canberra. November 2002.

Worthy. M. (2006) Infrequent, high magnitude erosion events in the Cotter River catchment, Namadgi National Park. pp 105-110 In: K. McCue, S. Lenz and S. Freidrich (eds.), Caring for Namadgi Science and People. National Parks Association ACT, Canberra.

Zylstra, P. (2006) Fire History Of The Australian Alps. Prehistory to 2003. Australian Alps Liaison Committee.